

FIG. 1
PRIOR ART




FIG. 2






FIG. 3





F16.5

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm
Scan rate	20	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Column	C18, 150 × 4.6 mm, 5 μm	
Flow rate	1.0	mL/min
Temperature	30	°C
Wavelength	254	nm




Fig 6




FIG 7

FIG 8